

## **PICOTE 3D PACKER**

*Makes Repairing Pipes Fast & Easy*



The Picote 3D Packers are part of the Picote Pro Packer series and are designed for straight repairs in pipes and can repair dimensional offsets.

These packers can be pushed through several bends to the renovation location through the innovative and patented Front Wheel Drive system which allows them to travel longer distances and navigate through multiple 90° bends.

Navigational Guides assist the Packer through pipe bends and with turns into secondary lines.

### **USES AND BENEFITS**

- Patented Front Wheel Drive: The optional Glass Fibre Rod extends through the Bendy Packer to the front end, which helps navigate around bends and go longer distances.
- Flexibility allows access through cleanouts and multiple 90° bends.
- Optional Navigational Guides assist the Packer through pipe bends and with turns into secondary lines.
- Can repair dimensional offsets in a single repair.
- Can also be pulled into place.



## More Info/Guides/Technical Support:

- Visit [picoteinstitute.com](http://picoteinstitute.com) for e-learning courses, educational videos, quick guides, & manuals.
- For more information on products, spare parts, assembly and operation, consult the Safety & Operations Manual or contact Picote Technical Support.
- For hands-on product training, Picote operates training centers in USA, UK, and Finland.

## PRODUCTS AND SPARE PARTS

Picote 3D Packers	
PN	Description
<b>DN50-75 (2-3") - BLACK</b>	
1511075100_5	3D Packer DN50-75 (2-3") / Length 100cm (39") Inc. 5m (16') integrated push/air rod
1511075100_1	3D Packer DN50-75 (2-3") / Length 100cm (39") Inc. 10m (32') integrated push/air rod
1511075150_5	3D Packer DN50-75 (2-3") / Length 150cm (59") Inc. 5m (16') integrated push/air rod
1511075150_1	3D Packer DN50-75 (2-3") / Length 150cm (59") Inc. 10m (32') integrated push/air rod
1511075200_5	3D Packer DN50-75 (2-3") / Length 200cm (79") Inc. 5m (16') integrated push/air rod
1511075200_1	3D Packer DN50-75 (2-3") / Length 200cm (79") Inc. 10m (32') integrated push/air rod
1511075250_5	3D Packer DN50-75 (2-3") / Length 250cm (98") Inc. 5m (16') integrated push/air rod
1511075250_1	3D Packer DN50-75 (2-3") / Length 250cm (98") Inc. 10m (32') integrated push/air rod
1511075300_5	3D Packer DN50-75 (2-3") / Length 300cm (118") Inc. 5m (16') integrated push/air rod
1511075300_1	3D Packer DN50-75 (2-3") / Length 300cm (118") Inc. 10m (32') integrated push/air rod
<b>DN70-100 (3-4") - GREEN</b>	
1511100100	3D Packer DN70-100 (3-4") / Length 100cm (39")
1511100150	3D Packer DN70-100 (3-4") / Length 150cm (59")
1511100200	3D Packer DN70-100 (3-4") / Length 200cm (79")
1511100300	3D Packer DN70-100 (3-4") / Length 300cm (118")
1511100400	3D Packer DN70-100 (3-4") / Length 400cm (157")
1511100500	3D Packer DN70-100 (3-4") / Length 500cm (197")
<i>Continued on next page</i>	

PN	Description
<b>DN100-150 (4-6") - BLUE</b>	
1511150060	3D Packer DN100-150 (4-6") / Length 60cm (24")
1511150100	3D Packer DN100-150 (4-6") / Length 100cm (39")
1511150150	3D Packer DN100-150 (4-6") / Length 150cm (59")
1511150200	3D Packer DN100-150 (4-6") / Length 200cm (79")
1511150300	3D Packer DN100-150 (4-6") / Length 300cm (118")
1511150350	3D Packer DN100-150 (4-6") / Length 350cm (138")
1511150400	3D Packer DN100-150 (4-6") / Length 400cm (157")
1511150500	3D Packer DN100-150 (4-6") / Length 500cm (197")
<b>DN150-250 (6-10") - RED</b>	
1511250100	3D Packer DN150-250 (6-10") / Length 100cm (39")
1511250150	3D Packer DN150-250 (6-10") / Length 150cm (59")
1511250200	3D Packer DN150-250 (6-10") / Length 200cm (79")
1511250300	3D Packer DN150-250 (6-10") / Length 300cm (118")
1511250400	3D Packer DN150-250 (6-10") / Length 400cm (157")
1511250500	3D Packer DN150-250 (6-10") / Length 500cm (197")
PN	Additional Tools
1510000001	Packer Navigation System DN50-70 (2-3") / Guide Ball / diameter 30mm (1.2")
1510000002	Packer Navigation System DN100-150 (4-6") / Guide Ball / diameter 60mm (2.4")
1510000003	Packer Navigation System DN200+ (8"+) / Guide Ball / diameter 80mm (3.15")
1510000004	Front Wheel Drive Glass Fibre Rod 7.5mm (1.3") / 40m (131') in a galvanized frame
1410000023	Push Rod DN100-150 (4-6") flexible enough to go through multiple bends*
1410000032	Push Rod DN100-225 (4-9") a more rigid rod for longer runs and larger pipes*
1410000025	Installation Tool 2.0 Air Adapter
1410000025U	Installation Tool 2.0 Air Adapter US
2340000002	Air Pressure Regulator EU 0-4 Bar
2340000002U	Air Pressure Regulator US 0-58 PSI

\* Customized Push Rod Adapters available, please contact Picote.



Front Wheel Drive  
Glass Fibre Rod



Optional  
Navigational Guides